JOURNAL OF FISH BIOLOGY

Editor

JOHN THORPE

LIBRARY

MAR 1 9 1993

National Marine Fisheries Service
2570 Dole Street
Honolulu, Hawaii

VOLUME 41

July to December 1992

Published for the Fisheries Society of the British Isles by Academic Press
London San Diego New York
Boston Sydney Tokyo Toronto

Copyright © 1992 The Fisheries Society of the British Isles

Printed in Great Britain by Henry Ling Ltd., at the Dorset Press, Dorchester, Dorset

Contents of Volume 41

Number 1 July 1992

KJØRSVIK, E. and REIERSEN, A. L., Histomorphology of the early yolk-sac larvae of the Atlantic halibut (*Hippoglossus hippoglossus* L.)—an indication of the timing of functionality 1

NORDEIDE, J. T., HOLM, J. C., OTTERÅ, H., BLOM, G. and BORGE, A., The use of oxytetracycline as a marker for juvenile cod (*Gadus morhua* L.) .. 21

HANSON, J. M. and CHOUINARD, G. A., Evidence that size-selective mortality affects growth of Atlantic cod (*Gadus morhua* L.) in the southern Gulf of St Lawrence 31

VANDEWALLE, P., FOCANT, B., HURIAUX, F. and CHARDON, M., Early development of the cephalic skeleton of *Barbus barbus* (Teleostei, Cyprinidae) 43

MCINTOSH, A. R., TOWNSEND, C. R. and CROWL, T. A., Competition for space between introduced brown trout (*Salmo trutta* L.) and a native galaxiid (*Galaxias vulgaris* Stockell) in a New Zealand stream 63

MUNSHI, J. S. D. and SINGH, A., Scanning electron microscopic evaluation of effects of low pH on gills of *Channa punctata* (Bloch) 83

L'ABÉE-LUND, J. H., LANGELAND, A. and SÆGROV, H., Piscivory by brown trout *Salmo trutta* L. and Arctic charr *Salvelinus alpinus* (L.) in Norwegian lakes 91

FLØYSAND, R., ASK, J. A., SERCK-HANSSEN, G. and HELLE, K. B., Plasma catecholamines and accumulation of adrenaline in the atrial cardiac tissue of aquacultured Atlantic salmon (*Salmo salar*) during stress .. 103

FRANKLIN, C. E., FORSTER, M. E. and DAVISON, W., Plasma cortisol and osmoregulatory changes in sockeye salmon transferred to sea water: Comparison between successful and unsuccessful adaptation 113

KENDALL, C., VALENTINO, S., BODINE, A. B. and LUER, C. A., Flow cytometric DNA analysis of nurse shark, *Ginglymostoma cirratum* (Bonaterre) and clearnose skate, *Raja eglanteria* (Bosc) peripheral red blood cells 123

WARING, C. P., STAGG, R. M. and POXTON, M. G., The effects of handling on flounder (*Platichthys flesus* L.) and Atlantic salmon (*Salmo salar* L.) 131

BRIEF COMMUNICATIONS

EYESON, K. N., Residual biparental oral-brooding in the blackchin fish, *Sarotherodon melanotheron* Rüppell 145

ECONOMIDIS, P. S. and VOGIATZIS, V. P., Mass mortality of *Sardinella aurita* Valenciennes (Pisces, Clupeidae) in Thessaloniki Bay (Macedonia, Greece) 147

PRASAD, G. and RADHAKRISHNAN, S., The leucocyte enzyme cytochemistry of the Indian eel, *Anguilla bicolor bicolor* McClelland .. 151

CHIARINI-GARCIA, H. and FERREIRA, R. M. A., Histochemical evidence of heparin in granular cells of *Hoplias malabaricus* Bloch 155

OJHA, J. and SINGH, S. K., Functional morphology of the anchorage system and food scrapers of a hillstream fish, *Garra lamta* (Ham.) (Cyprinidae, Cypriniformes) 159

WATSON, J. J., PIKE, A. W. and PRIEDE, I. G., Cardiac pathology associated with the infection of *Oncorhynchus mykiss* Walbaum with *Apatemon gracilis* Rud. 1819 163

BOOK REVIEWS 169

ANNOUNCEMENT 173

Number 2 August 1992

LUCAS, M. C. and PRIEDE, I. G., Utilization of metabolic scope in relation to feeding and activity by individual and grouped zebrafish, *Brachydanio rerio* (Hamilton-Buchanan) 175

GREENSTREET, S. P. R., MORGAN, R. I. G. and THORPE, J. E., Effect of stripping on the length, condition and gonadal state of mature male Atlantic salmon, *Salmo salar* L., parr during autumn and winter .. 191

PANFILI, J. and XIMENES, M.-C., Measurements on ground or sectioned otoliths: possibilities of bias 201

NASH, R. D. M., GEFFEN, A. J. and HUGHES, G., Winter growth of juvenile plaice on the Port Erin Bay (Isle of Man) nursery ground 209

KARÅS, P. and THORESSON, G., An application of a bioenergetics model to Eurasian perch (*Perca fluviatilis* L.) 217

CUI, Y., LIU, X., WANG, S. and CHEN, S., Growth and energy budget in young grass carp, *Ctenopharyngodon idella* Val., fed plant and animal diets 231

TITUS, R. G. and MOSEGAARD, H., Fluctuating recruitment and variable life history of migratory brown trout, *Salmo trutta* L., in a small, unstable stream 239

MCCARTHY, I. D., CARTER, C. G. and HOULIHAN, D. F., The effect of feeding hierarchy on individual variability in daily feeding of rainbow trout, *Oncorhynchus mykiss* (Walbaum) 257

VAN DAMME, P. A. and HAMERLYNCK, O., The infection dynamics and dispersion pattern of *Lernaeocera branchialis* L. on 0+ whiting (*Merlangius merlangus* L.) in the Oosterschelde (SW Netherlands) .. 265

CREECH, S., A study of the population biology of *Atherina boyeri* Risso, 1810 in Aberthaw Lagoon, on the Bristol Channel, in South Wales .. 277

GRAU, A., CRESPO, S., SARASQUETE, M. C. and GONZÁLEZ DE CANALES, M. L., The digestive tract of the amberjack *Seriola dumerili*, Risso: a light and scanning electron microscope study 287

KIRUBAGARAN, R. and JOY, K. P., Toxic effects of mercury on testicular activity in the freshwater teleost, *Clarias batrachus* (L.) 305

GUI, J. F., JIA, J., LIANG, S. C. and JIANG, Y. G., Meiotic chromosome behaviour in male triploid transparent coloured crucian carp, *Carassius auratus* L. 317

PEREIRA, J. J., LEWIS, JR., E. J., SPALLONE, R. L. and SWORD, C., Bifurcation of gill filaments in winter flounder (*Pleuronectes americanus* Walbaum) from Long Island Sound 327

BOOK REVIEW 339

Number 3 September 1992

CREECH, S., A multivariate morphometric investigation of *Atherina boyeri* Risso, 1810 and *A. presbyter* Cuvier, 1829 (Teleostei: Atherinidae): morphometric evidence in support of the two species 341

LIPPITSCH, E., Squamation and scale character stability in cichlids, examined in *Sarotheroden galilaeus* (Linnaeus, 1758) (Perciformes, Cichlidae) 355

OGAWA, K., DELGAHAPITIYA, K. P., FURUTA, T. and WAKABAYASHI, H., Histological studies on the host-response to *Myxobolus artus* Akhmerov, 1960 (Myxozoa: Myxobolidae) infection in the skeletal muscle of carp, *Cyprinus carpio* L. 363

LEZAMA, E. and GÜNTHER, J., The routine metabolism of the guapote, *Cichlasoma managuense* (Gunther 1869), related to body weight and temperature 373

GUINEA, J. and FERNANDEZ, F., Morphological and biometrical study of the gill rakers in four species of mullet 381

MARCOGLIESE, D. J., Metazoan parasites of sticklebacks on Sable Island, Northwest Atlantic Ocean: biogeographic considerations 399

TORRISSEN, K. R. and SHEARER, K. D., Protein digestion, growth and food conversion in Atlantic salmon and Arctic charr with different trypsin-like isozyme patterns 409

LEHTONEN, H., NYBERG, K., VUORINEN, P. J. and LESKELÄ, A., Radioactive strontium (^{85}Ssr) in marking whitefish (*Coregonus lavaretus* (L.)) larvae and the dispersal of larvae from river to sea 417

GERSHANOVICH, A. D. and TAUFIK, L. R. Feeding dynamics of sturgeon fingerlings (Acipenseridae) depending on food concentration and stocking density 425

POTTINGER, T. G. and PICKERING, A. D., The influence of social interaction on the acclimation of rainbow trout, *Oncorhynchus mykiss* (Walbaum) to chronic stress 435

PEDERSEN, T. and FALK-PETERSEN, I. B., Morphological changes during metamorphosis in cod (*Gadus morhua* L.), with particular reference to the development of the stomach and pyloric caeca 449

VAN DUREN, L. A. and GLASS, C. W., Choosing where to feed: the influence of competition on feeding behaviour of cod, *Gadus morhua* L. 463

BILLARD, R., WEIL, C., BIENIARZ, K., MIKOLAJCZYK, T., BRETON, B., EPLER, P. and BOUGOUSSA, M., Testicular and some hormonal changes during the first four years of life in the mirror carp, *Cyprinus carpio* L. 473

MAGTOON, W., NADEE, N., HIGASHITANI, T., TAKATA, K. and UWA, H., Karyotype evolution and geographical distribution of the Thai-medaka, *Oryzias minutillus*, in Thailand 489

BAKKE, T. A., HARRIS, P. D. and JANSEN, P. A., The susceptibility of *Salvelinus fontinalis* (Mitchill) to *Gyrodactylus salaris* Malmberg (Platyhelminthes; Monogenea) under experimental conditions 499

NAVARRO, J. C. and SARGENT, J. R., Behavioural differences in starving herring, *Clupea harengus* L., larvae correlate with body levels of essential fatty acids 509

Number 4 October 1992

ADAMS, C. E., MURRAY, K. R. and HUNTINGFORD, F. A., The periodicity of primary increment formation in the otoliths of Arctic charr, *Salvelinus alpinus* (L.) 515

NIE, P. and KENNEDY, C. R., Populations of *Bothriocephalus claviceps* (Goeze) (Cestoda) in the European eel, *Anguilla anguilla* (L.), in three localities in southwest England 521

CARTER, C. G. and BRAFIELD, A. E., The bioenergetics of grass carp, *Ctenopharyngodon idella* (Val.): the influence of body weight, ration and dietary composition on nitrogenous excretion 533

RODRIGUEZ-RUIZ, A. and GRANADO-LORENCIO, C., Spawning period and migration of three species of cyprinids in a stream with Mediterranean regimen (SW Spain) 545

MACEINA, M. J., A simple regression model to assess environmental effects on fish growth 557

KENNEDY, C. R., NIE, P., KASPERS, J. and PAULISSE, J., Are eels (*Anguilla anguilla* L.) planktonic feeders? Evidence from parasite communities .. 567

KJESBU, O. S., KRYVI, H., SUNDBY, S. and SOLEMDAL, P., Buoyancy variations in eggs of Atlantic cod (*Gadus morhua* L.) in relation to chorion thickness and egg size: theory and observations 581

WOOD, P., PARTRIDGE, J. C. and DE GRIP, W. J., Rod visual pigment changes in the elver of the eel, *Anguilla anguilla* L., measured by microspectrophotometry 601

JORDAN, W. C. and YOUNGSON, A. F., The use of genetic marking to assess the reproductive success of mature male Atlantic salmon parr (*Salmo salar*, L.) under natural spawning conditions 613

IBRAHIM, A. A. and HUNTINGFORD, F. A., Experience of natural prey and feeding efficiency in three-spined sticklebacks (*Gasterosteus aculeatus* L.) 619

RANTA, E., JUVONEN, S.-K. and PEUHKURI, N., Further evidence for size assortative schooling in sticklebacks 627

SKAALA, Ø., Genetic population structure of Norwegian brown trout .. 631

MUONEKE, M. I., HENRY, C. C. and MAUGHAN, O. E., Population structure and food habits of white crappie, *Pomoxis annularis* Rafinesque, in a turbid Oklahoma reservoir 647

KATANO, O., Cannibalism on eggs by dark chub, *Zacco temmincki* (Temminck & Schlegel) (Cyprinidae) 655

BRIEF COMMUNICATIONS

FRANKEL, J. S., Inheritance of trunk coloration in the three-spot gourami, *Trichogaster trichopterus* Pallas 663

NICOTRA, A. and SENATORI, O., β-Adrenergic antagonists and carp (*Cyprinus carpio* L.) sperm motility 667

ANNOUNCEMENTS 671

Number 5 November 1992

BÜTTIKER, B., Electrofishing results corrected by selectivity functions in stock size estimates of brown trout (*Salmo trutta* L.) in brooks 673

SCOTT, S. G. and PANKHURST, N. W., Interannual variation in the reproductive cycle of the New Zealand snapper *Pagrus auratus* (Bloch & Schneider) (Sparidae) 685

MO, T. A., Seasonal variations in the prevalence and infestation intensity of *Gyrodactylus salaris* Malmberg, 1957 (Monogenea: Gyrodactylidae) on Atlantic salmon parr, *Salmo salar* L., in the River Batnfjordselva, Norway 697

QUENTEL, C. and OBACH, A., The cellular composition of the blood and haematopoietic organs of turbot *Scophthalmus maximus* L. 709

KRUMSCHNABEL, G. and LACKNER, R., Metabolic responses of fish larvae [*Rutilus rutilus* (L.)] to forced activity (Cyprinidae, Teleostei) 717

BLANQUER, A., ALAYSE, J. P., BERRADA-RKHAMI, O. and BERREBI, P., Allozyme variation in turbot (*Psetta maxima*) and brill (*Scophthalmus rhombus*) (Osteichthyes, Pleuronectoformes, Scophthalmidae) throughout their range in Europe 725

ISHIDA, Y. and KOBAYASHI, H., Stimulatory effectiveness of amino acids on the olfactory response in an algivorous marine teleost, the rabbitfish *Siganus fuscescens* Houttuyn 737

GALLAHAR, N. K. and KINGSFORD, M. J., Patterns of increment width and strontium : calcium ratios in otoliths of juvenile rock blackfish, *Girella elevata* (M.) 749

DUTTON, P., Effects of experience on feeding success by larval white seabass, *Atractoscion nobilis* 765

LOU, D. C., Validation of annual growth bands in the otolith of tropical parrotfishes (*Scarus schlegeli* Bleeker) 775

PELLETIER, D. and BESNER, M., The effect of salty diets and gradual transfer to sea water on osmotic adaptation, gill Na^+, K^+-ATPase activation, and survival of brook charr, *Salvelinus fontinalis*, Mitchill 791

RANTIN, F. T., KALININ, A. L., GLASS, M. L. and FERNANDES, M. N., Respiratory responses to hypoxia in relation to mode of life of two erythrinid species (*Hoplias malabaricus* and *Hoplias lacerdae*) 805

POWELL, M. D., SPEARE, D. J. and BURKA, J. F., Fixation of mucus on rainbow trout (*Oncorhynchus mykiss* Walbaum) gills for light and electron microscopy 813

BRADFORD, M. J. and GEEN, G. H. ✣ Growth estimates from otolith increment widths of juvenile chinook salmon (*Oncorhynchus tshawytscha*) reared in changing environments 825

DONG, S., LI, D., BING, X., SHI, Q. and WANG, F., Suction volume and filtering efficiency of silver carp (*Hypophthalmichthys molitrix* Val.) and bighead carp (*Aristichthys nobilis* Rich.) 833

COSTA, J. L., ASSIS, C. A., ALMEIDA, P. R., MOREIRA, F. M. and COSTA, M. J., On the food of the European eel, *Anguilla anguilla* (L.), in the upper zone of the Tagus estuary, Portugal 841

GRAHAM, M. S. and FARRELL, A. P., Environmental influences on cardiovascular variables in rainbow trout, *Oncorhynchus mykiss* (Walbaum) .. 851

BOOK REVIEWS 859

Number 6 December 1992

GAFNY, S., GASITH, A. and GOREN, M., Effect of water level fluctuation on shore spawning of *Mirogrex terraesanctae* (Steinitz), (Cyprinidae) in Lake Kinneret, Israel 863

HURIAUX, F., VANDEWALLE, P. and FOCANT, B., Polymorphism of white muscle myosin and parvalbumins in the genus *Barbus* (Teleostei: Cyprinidae) 873

MARTEINSDOTTIR, G. and ABLE, K. W., Influence of egg size on embryos and larvae of *Fundulus heteroclitus* (L.) 883

MATTSON, N. S. and MUTALE, J. C., Multi-mesh gillnets to estimate species composition and catch per unit effort of fish in a small water body in Zambia 897

GLOVA, G. J., SAGAR, P. M. and NÄSLUND, I., Interaction for food and space between populations of *Galaxias vulgaris* Stokell and juvenile *Salmo trutta* L. in a New Zealand stream 909

SCHURMANN, H. and STEFFENSEN, J. F., Lethal oxygen levels at different temperatures and the preferred temperature during hypoxia of the Atlantic cod, *Gadus morhua* L. 927

NEIRA, F. J. and POTTER, I. C., The ichthyoplankton of a seasonally closed estuary in temperate Australia. Does an extended period of opening influence species composition? 935

BROWN, G. E., BROWN, J. A. and SRIVASTAVA, R. K., The effect of stocking density on the behaviour of Arctic charr (*Salvelinus alpinus* L.) 955

ALVARIÑO, J. M. R., CARRILLO, M., ZANUY, S., PRAT, F. and MAÑANOS, E., Pattern of sea bass oocyte development after ovarian stimulation by LHRHa 965

COMTE, S. and VILA, I., Spawning of *Basilichthys microlepidotus* (Jenyns) 971

KOTRSCHAL, K. and GOLDSCHMID, A., Morphological evidence for the biological role of caniniform teeth in combtooth blennies (Blenniidae, Teleostei) 983

PONCIN, P., Influence of the daily distribution of light on reproduction in the barbel, *Barbus barbus* (L.) 993

FOLMAR, L. C., MOODY, T., BONOMELLI S. and GIBSON, J., Annual cycle of blood chemistry parameters in striped mullet (*Mugil cephalus* L.) and pinfish (*Lagodon rhomboides* L.) from the Gulf of Mexico 999

PRÉVOST, E., CHADWICK, E. M. P. and CLAYTOR, R. R., Influence of size, winter duration and density on sexual maturation of Atlantic salmon (*Salmo salar*) juveniles in Little Codroy River (southwest Newfoundland) 1013

HARTLEY, S. E., MCGOWAN, C., GREER, R. B. and WALKER, A. F., The genetics of sympatric Arctic charr [*Salvelinus alpinus* (L.)] populations from Loch Rannoch, Scotland 1021

BRIEF COMMUNICATIONS

TREASURER, J. W., Length and weight changes in 0+ perch, *Perca fluviatilis* L., following fixation in formalin 1033

FURONES, M. D., ALDERMAN, D. J., BUCKE, D., FLETCHER, T. C., KNOX, D. and WHITE, A., Dietary vitamin E and the response of rainbow trout, *Oncorhynchus mykiss* (Walbaum), to infection with *Yersinia ruckeri* 1037

STOKES, M. D. and HOLLAND, N. D., Southern stingray (*Dasyatis americana*) feeding on lancelets (*Branchiostoma floridae*) 1043

QUINN, T. P. and BLAIR, G. R., Morphological changes in senescing adult male sockeye salmon (*Oncorhynchus nerka* Walbaum) 1045

ASSIS, C. A., ALMEIDA, P. R., MOREIRA, F., COSTA, J. L. and COSTA, M. J., Diet of the twaite shad *Alosa fallax* (Lacépède) (Clupeidae) in the River Tagus Estuary, Portugal 1049

BOOK REVIEWS 1051

Index to volume 41

ABLE, K. W. (see MARTEINSDOTTIR, G.), 883
Acclimation of rainbow trout, *Oncorhynchus mykiss*, to chronic stress, influence of social interaction on, 435
Activity, forced, metabolic responses of fish larvae (*Rutilus rutilus* L.) to, 717
Activity by individual and grouped zebrafish, *Brachydanio rerio*; utilization of metabolic scope, 175
Adrenaline accumulation in the atrial cardiac tissue of aquacultured Atlantic salmon (*Salmo salar*) during stress, 103
β-Adrenergic antagonists and carp (*Cyprinus carpio* L.) sperm motility, 667
ADAMS, C. E., MURRAY, K. R. & HUNTINGFORD, F. A., The periodicity of primary increment formation in the otoliths of Arctic charr, *Salvelinus alpinus* (L.), 515
ALAYSE, J. P. (see BLANQUER, A.), 725
ALDERMAN, D. J. (see FURONES, M. D.), 1037
Allozyme variation in turbot (*Psetta maxima*) and brill (*Scophthalmus rhombus*) throughout their range in Europe, 725
ALMEIDA, P. R. (see ASSIS, C. A.), 1049
ALMEIDA, P. R. (see COSTA, J. L.), 841
Alosa fallax (twaite shad) in the River Tagus Estuary, Portugal, diet of, 1049
ALVARIÑO, J. M. R., CARRILLO, M., ZANUY, S., PRAT, F. & MAÑANOS, E., Pattern of sea bass oocyte development after ovarian stimulation by LHRHa, 965
Amino acids, stimulatory effectiveness on the olfactory response in an algivorous marine teleost, the rabbitfish *Siganus fuscescens* Houttuyn, 737
Anchorage system of a hillstream fish, *Garra lamta*, functional morphology of, 159
Anguilla anguilla L. (European eel), food of, in the upper zone of the Tagus estuary, Portugal, 841
Anguilla anguilla L. (eels): are they planktonic feeders?; evidence from parasitic communities, 567
Anguilla anguilla L. (European eel), populations of *Bothriocephalus claviceps* in, in southwest England, 521
Anguilla anguilla L. (eel elver), rod visual pigment changes measured by microspectrophotometer, 601
Anguilla bicolor bicolor (Indian eel), the leucocyte enzyme cytochemistry of, 151
Apatemon gracilis, cardiac pathology associated with the infection of *Oncorhynchus mykiss* with, 163
Arctic charr and Atlantic salmon with different trypsin-like isozyme patterns, protein digestion, growth and food conversion in, 409
Aristichthys nobilis (silver carp), suction volume and filtering efficiency of, 833
ASK, J. A. (see FLØYSAND, R.), 103
ASSIS, C. A., ALMEIDA, P. R., MOREIRA, F., COSTA, J. L. & COSTA, M. J., Diet of the twaite shad *Alosa fallax* (Lacépède) (Clupeidae) in the River Tagus Estuary, Portugal, 1049
ASSIS, C. A. (see COSTA, J. L.), 841
Atherina boyeri Risso, 1810 and *A. presbyter* Cuvier, 1829, morphometric investigation of, 341
Atherina boyeri Risso, 1810, in Aberthaw Lagoon, the population biology of, 277
Atherina presbyter Cuvier, 1829 and *A. boyeri* Risso, 1810, morphometric investigation of, 341
Atlantic salmon and Arctic charr with different trypsin-like isozyme patterns, protein digestion, growth and food conversion in, 409
Atractoscion nobilis (larval white seabass), effects of experience on feeding success by, 765
Atrial cardiac tissue of aquacultured Atlantic salmon (*Salmo salar*), plasma catecholamines and accumulation of adrenaline in, during stress, 103

Bakke, T. A., Harris, P. D. & Jansen, P. A., The susceptibility of *Salvelinus fontinalis* (Mitchill) to *Gyrodactylus salaris* Malmberg (Platyhelminthes: Monogenea) under experimental conditions, 499
Barbus, polymorphism of white muscle myosin and parvalbumins in, 873
Barbus barbus, early development of the cephalic skeleton, 43
Barbus barbus L. (barbel), influence of the daily distribution of light on reproduction in, 993
Basilichthys microlepidotus (Jenyns), spawning of, 971
Behaviour of Arctic charr *Salvelinus alpinus* L., effect of stocking density on, 955
Behavioural differences in starving herring, *Clupea harengus* L., larvae correlate with body levels of essential fatty acids, 509
Berrada-Rkhami, C. (see Blanquer, A.), 725
Berrebi, P. (see Blanquer, A.), 725
Besner, M. (see Pelletier, D.), 791
Bieniarz, K. (see Billard, R.), 473
Billard, R., Weil, C., Bieniarz, K., Mikolajczyk, T., Breton, B., Epler, P. & Bougoussa, M., Testicular and some hormonal changes during the first four years of life in the mirror carp, *Cyprinus carpio* L., 473
Bing, X. (see Dong, S.), 833
Bioenergetics of grass carp, *Ctenopharyngodon idella*: influence of body weight, ration and dietary composition on nitrogenous excretion, 533
Bioenergetics model, application to Eurasian perch (*Perca fluviatilis* L.), 217
Blair, G. R. (see Quinn, T. P.), 1045
Blanquer, A., Alayse, J. P., Berrada-Rkhami, C. & Berrebi, P., Allozyme variation in turbot (*Psetta maxima*) and brill (*Scophthalmus rhombus*) (Osteichthyes, Pleuronectoformes), 725
Blennies, combtooth, morphological evidence for the biological role of caniniform teeth in, 983
Blom, G. (see Nordeide, J. T.), 21
Blood chemistry parameters, annual cycle of, in striped mullet (*Mugil cephalus* L.) and pinfish (*Lagodon rhomboides* L.) from the Gulf of Mexico, 999
Blood of turbot *Scophthalmus maximus* L., the cellular composition of, 709
Bodine, A. B. (see Kendall, C.), 123
Bonomelli, S. (see Folmar, L. C.), 999
Book Reviews, 169, 339, 859, 1051
Borge, A. (see Nordeide, J. T.) 21
Bothriocephalus claviceps populations in the European eel, *Anguilla anguilla* L., in southwest England, 521
Bougoussa, M. (see Billard, R.), 473
Brachydanio rerio (zebrafish), individual and grouped, utilization of metabolic scope in relation to feeding and activity by, 175
Bradford, M. J. & Geen, G. H., Growth estimates from otolith increment widths of juvenile chinook salmon (*Oncorhynchus tshawytscha*) reared in changing environments, 825
Brafield, A. E. (see Carter, C. G.), 533
Branchiostoma floridae (lancelets), southern stingray (*Dasyatis americana*) feeding on, 1043
Breton, B. (see Billard, R.), 473
Brown, G. E., Brown, J. A. & Srivastava, R. K., The effect of stocking density on the behaviour of Arctic charr (*Salvelinus alpinus* L.), 955
Brown, J. A. (see Brown, G. E.), 955
Brown trout, Norwegian, genetic population structure of, 631
Bucke, D. (see Furones, M. D.), 1037
Buoyancy variations in eggs of Atlantic cod (*Gadus morhua* L.) in relation to chorion thickness and egg size, 581
Burka, J. F. (see Powell, M. D.), 813
Büttiker, B., Electrofishing results corrected by selectivity functions in stock size estimates of brown trout (*Salmo trutta* L.) in brooks, 673

Cannibalism on eggs by dark chub, *Zucco temmincki*, 655
Carassius auratus L. (crucian carp), meiotic chromosome behaviour in, 317
Cardiac pathology associated with the infection of *Oncorhynchus mykiss* with *Apatemon gracilis*, 163
Cardiovascular variables in rainbow trout, *Oncorhynchus mykiss*, environmental influences on, 851
Carrillo, M. (see Alvariño, J. M. R.), 965
Carter, C. G. & Brafield, A. E., The bioenergetics of grass carp, *Ctenopharyngodon idella* (Val.): the influence of body weight, ration and dietary composition on nitrogenous excretion, 533
Carter, C. G. (see McCarthy, I. D.), 257
Catch per unit effort of fish in a small water body in Zambia, estimation using multi-mesh gillnets, 897
Catecholamines, plasma, in aquacultured Atlantic salmon (*Salmo salar*) during stress, 103
Cellular composition of the blood and haematopoietic organs of turbot *Scophthalmus maximus* L., 709
Cephalic skeleton of *Barbus barbus*, early development of, 43
Chadwick, E. M. P. (see Prévost, E.), 1013
Channa punctata (Bloch), scanning electron microscopic evaluation of effects of low pH on gills of, 83
Chardon, M. (see Vandewalle, P.), 43
Chen, S. (see Cui, Y.), 231
Chiarini-Garcia, H. & Ferreira, R. M. A., Histochemical evidence of heparin in granular cells of *Hoplias malabaricus* Bloch, 155
Chorion thickness and buoyancy in *Gadus morhua* L. eggs, 581
Chouinard, G. A. (see Hanson, J. M.), 31
Chromosome behaviour in male triploid transparent coloured crucian carp, *Carassius auratus* L., 317
Cichlasoma managuense (guapote), metabolism related to body weight and temperature, 373
Clarias batrachus L. (freshwater teleost), toxic effects of mercury on testicular activity in, 305
Claytor, R. R. (see Prévost, E.), 1013
Clupea harengus L. (starving herring larvae): behavioural differences correlate with body levels of essential fatty acids, 509
Competition in feeding behaviour of cod, *Gadus morhua* L., 463
Competition for space between introduced brown trout (*Salmo trutta* L.) and a native galaxiid (*Galaxias vulgaris* Stockell) in a New Zealand stream, 63
Comte, S. & Vila, I., Spawning of *Basilichthys microlepidotus* (Jenyns), 971
Coregonus lavaretus L. (whitefish larvae), radioactive strontium marking; larvae dispersal from river to sea, 417
Cortisol, plasma, and osmoregulatory changes in sockeye salmon transferred to sea water: comparison between successful and unsuccessful adaptation, 113
Costa J. L., Assis, C. A., Almeida, P. R., Moreira, F. M. & Costa, M. J., On the food of the European eel, *Anguilla anguilla* (L.), in the upper zone of the Tagus estuary, Portugal, 841
Costa, J. L. (see Assis, C. A.), 1049
Costa, M. J. (see Assis, C. A.), 1049
Costa, M. J. (see Costa, J. L.), 841
Creech, S., A multivariate morphometric investigation of *Atherina boyeri* Risso, 1810 and *A. presbyter* Cuvier, 1829 (Teleostei: Atherinidae): morphometric evidence in support of the two species, 341
Creech, S., A study of the population biology of *Atherina boyeri* Risso, 1810 in Aberthaw Lagoon, on the Bristol Channel, in South Wales, 277
Crespo, S. (see Grau, A.), 287
Crowl, T. A. (see McIntosh, A. R.), 63
Ctenopharyngodon idella (Val.) (grass carp) bioenergetics; influence of body weight, ration and dietary composition on nitrogenous excretion, 533

Ctenopharyngodon idella Val. (young grass carp) fed plant and animal diets, growth and energy budget in, 231
Cui, Y., Liu, X., Wang, S. & Chen, S., Growth and energy budget in young grass carp, (*Ctenopharyngodon idella* Val.), fed plant and animal diets, 231
Cyprinids, spawning period and migration of three species in a stream with Mediterranean regimen, 545
Cyprinus carpio L. (carp), histological studies on the host-response to *Myxobolus artus* infection in the skeletal muscle of, 363
Cyprinus carpio L. (mirror carp), testicular and hormonal changes during the first four years of life, 473
Cyprinus carpio L. (carp) sperm motility, and β-adrenergic antagonists, 667

Dasyatis americana (southern stingray) feeding on lancelets (*Branchiostoma floridae*), 1043
Davison, W. (see Franklin, C. E.), 113
De Grip, W. J. (see Wood, P.), 601
Delgahapitiya, K. P. (see Ogawa, K.), 363
Density, influence on sexual maturation of Atlantic salmon (*Salmo salar*) juveniles in Little Codroy River, Newfoundland, 1013
Development, early, of the cephalic skeleton of *Barbus barbus*, 43
Development of the stomach and pyloric caeca in cod, *Gadus morhua* L., 449
Dicentrarchus labrax L. (sea bass), pattern of oocyte development after ovarian stimulation by LHRHa, 965
Dietary composition in bioenergetics of grass carp (*Ctenopharyngodon idella* Val.), 533
Dietary vitamin E and the response of rainbow trout, *Oncorhynchus mykiss* (Walbaum), to infection with *Yersinia ruckeri*, 1037
Diets, animal and plant; growth and energy budget in young grass carp, *Ctenopharyngodon idella* Val., 231
Diets, salty, effect on brook charr, *Salvelinus fontinalis*, 791
Diet of the twaite shad *Alosa fallax* in the River Tagus Estuary, Portugal, 1049
Digestive tract of the amberjack *Seriola dumerili*: a light and scanning electron microscope study, 287
Dispersal of larvae from river to sea; radioactive strontium in marking whitefish (*Coregonus lavaretus* L.) larvae, 417
DNA analysis, flow cytometric, of nurse shark, *Ginglymostoma cirratum* and clearnose skate, *Raja eglanteria* peripheral red blood cells, 123
Dong, S., Li, D., Bing, X., Shi, Q. & Wang, F., Suction volume and filtering efficiency of silver carp (*Hypophthalmichthys molitrix* Val.) and bighead carp (*Aristichthys nobilis* Rich.), 833
Dutton, P., Effects of experience on feeding success by larval white seabass, *Atractoscion nobilis*, 765

Economidis, P. S. & Vogiatzis, V. P., Mass mortality of *Sardinella aurita* Valenciennes (Pisces, Clupeidae) in Thessaloniki Bay (Macedonia, Greece), 147
Eggs of Atlantic cod, *Gadus morhua* L.; buoyancy variations in relation to chorion thickness and egg size, 581
Egg cannibalism by dark chub, *Zacco temmincki*, 655
Egg size, influence on embryos and larvae of *Fundulus heteroclitus* L., 883
Electrofishing results corrected by selectivity functions in stock size estimates of brown trout (*Salmo trutta* L.) in brooks, 673
Elver of the eel *Anguilla anguilla* L.: rod visual pigment changes measured by microspectrophotometry, 601
Embryos of *Fundulus heteroclitus* L., influence of egg size on, 883
Energy budget in young grass carp, *Ctenopharyngodon idella* Val., fed plant and animal diets, 231
Environmental effects on fish growth, a simple regression model to assess, 557
Environmental influences on cardiovascular variables in rainbow trout, *Oncorhynchus mykiss*, 851
Epler, P. (see Billard, R.), 473

Evolution, karyotype, of the Thai-medaka, *Oryzias minutillus*, 489
Eyeson, K. N., Residual biparental oral-brooding in the blackchin fish, *Sarotherodon melanotheron* Rüppell, 145

Falk-Petersen, I. B. (see Pedersen, T.), 449
Farrell, A. P. (see Graham, M. S.), 851
Fatty acids, essential, behavioural differences in starving herring, *Clupea harengus* L., correlate with body levels of, 509
Feeding and activity by individual and grouped zebrafish, *Brachydanio rerio*: utilization of metabolic scope, 175
Feeding behaviour, and competition, in cod, *Gadus morhua* L., 463
Feeding dynamics of sturgeon fingerlings (Acipenseridae) depending on food consumption and stocking density, 425
Feeding efficiency in three-spined sticklebacks (*Gasterosteus aculeatus* L.), 619
Feeding hierarchy, effect on individual variability in daily feeding of rainbow trout, *Oncorhynchus mykiss* (Walbaum), 257
Feeding of southern stingray (*Dasyatis americana*) on lancelets (*Branchiostoma floridae*), 1043
Feeding success by larval white seabass, *Atractoscion nobilis*, effects of experience on, 765
Fernandes, M. N. (see Rantin, F. T.), 805
Fernandez, F. (see Guinea, J.), 381
Ferreira, R. M. A. (see Chiarini-Garcia, H.), 155
Filtering efficiency of *Hypophthalmichthys molitrix* and *Aristchthys nobilis*, 833
Fletcher, T. C. (see Furones, M. D.), 1037
Flow cytometric DNA analysis of nurse shark, *Ginglymostoma cirratum* (Bonaterre) and clearnose skate, *Raja eglanteria* (Bosc) peripheral red blood cells, 123
Fløysand, R., Ask, J. A., Serck-Hanssen, G. & Helle, K. B., Plasma catecholamines and accumulation of adrenaline in the atrial cardiac tissue of aquacultured Atlantic salmon (*Salmo salar*) during stress, 103
Focant, B. (see Huriaux, F.), 873
Focant, B. (see Vandewalle, P.), 43
Folmar, L. C., Moody, T., Bonomelli, S. & Gibson, J., Annual cycle of blood chemistry parameters in striped mullet (*Mugil cephalus* L.) and pinfish (*Lagodon rhomboides* L.) from the Gulf of Mexico, 999
Food conversion in Atlantic salmon and Arctic charr with different trypsin-like isozyme patterns, 409
Food of the European eel, *Anguilla anguilla* L., in the upper zone of the Tagus estuary, Portugal, 841
Food habits of white crappie, *Pomoxis annularis*, in a turbid Oklahoma reservoir, 647
Food scrapers of a hillstream fish, *Garra lamta*, functional morphology of, 159
Food and space, interaction for, between populations of *Galaxias vulgaris* and juvenile *Salmo trutta* L. in a New Zealand stream, 909
Formalin, length and weight changes in 0+ perch, *Perca fluviatilis* L., following fixation in, 1033
Forster, M. E. (see Franklin, C. E.), 113
Frankel, J. S., Inheritance of trunk coloration in the three-spot gourami, *Trichogaster trichopterus* Pallas, 663
Franklin, C. E., Forster, M. E. & Davison, W., Plasma cortisol and osmoregulatory changes in sockeye salmon transferred to sea water: comparison between successful and unsuccessful adaptation, 113
Fundulus heteroclitus (L.), influence of egg size on embryos and larvae of, 883
Furones, M. D., Alderman, D. J., Bucke, D., Fletcher, T. C., Knox, D. & White, A., Dietary vitamin E and the response of rainbow trout, *Oncorhynchus mykiss* (Walbaum), to infection with *Yersinia ruckeri*, 1037
Furuta, T. (see Ogawa, K.), 363

Gadus morhua L. (Atlantic cod): buoyancy variations in eggs in relation to chorion thickness and egg size, 581

Gadus morhua L. (cod), the influence of competition on feeding behaviour in, 463
Gadus morhua L. (Atlantic cod), lethal oxygen levels at different temperatures and the preferred temperature during, 927
Gadus morhua L. (cod): morphological changes during metamorphosis, with particular reference to development of the stomach and pyloric caeca, 449
Gadus morhua L. (Atlantic cod) in the southern Gulf of St Lawrence, size-selective mortality affects growth in, 31
Gadus morhua L. (juvenile cod), the use of oxytetracycline as a marker for, 21
GAFNY, S., GASITH, A. & GOREN, M., Effect of water level fluctuation on shore spawning of *Mirogrex terraesanctae* (Steinitz), (Cyprinidae) in Lake Kinneret, Israel, 863
Galaxias vulgaris Stockell and *Salmo trutta* L., competition for space between, in a New Zealand stream, 63
Galaxias vulgaris and juvenile *Salmo trutta* L. in a New Zealand stream, interaction for food and space between populations of, 909
GALLAHAR, N. K. & KINGSFORD, M. J., Patterns of increment width and strontium: calcium ratios in otoliths of juvenile rock blackfish, *Girella elevata* (M.), 749
Garra lamta (hillstream fish), functional morphology of the anchorage system and food scrapers of, 159
GASITH, A. (see GAFNY, S.), 863
Gasterosteus aculeatus L. (three-spined stickleback), experience of natural prey and feeding efficiency in, 619
GEEN, G. H. (see BRADFORD, M. J.), 825
GEFFEN, A. J. (see NASH, R. D. M.), 209
Genetic marking in assessment of reproductive success of mature male Atlantic salmon parr (*Salmo salar* L.) under natural spawning conditions, 613
Genetic population structure of Norwegian brown trout, 631
Genetics of sympatric Arctic charr (*Salvelinus alpinus* L.) populations from Loch Rannoch, Scotland, 1021
GERSHANOVICH, A. D. & TAUFIK, L. R., Feeding dynamics of sturgeon fingerlings (Acipenseridae) depending on food concentration and stocking density, 425
GIBSON, J. (see FOLMAR, L. C.), 999
Gill filament bifurcation in winter flounder (*Pleuronectes americanus*) from Long Island Sound, 327
Gill Na^+, K^+-ATPase activation, effect of salty diets and gradual transfer to sea water on, in *Salvelinus fontinalis*, 791
Gills of rainbow trout, fixation of mucus on, for light and electron microscopy, 813
Gillnets, multi-mesh, to estimate species composition and cpue of fish in a small water body in Zambia, 897
Gills of *Channa punctata*, scanning electron microscopic evaluation of effects of low pH on, 83
Gill rakers in four species of mullet, morphological and biometrical study, 381
Ginglymostoma cirratum (nurse shark), flow cytometric DNA analysis of peripheral red blood cells, 123
Girella elevata (juvenile rock blackfish), patterns of increment width and strontium/calcium ratios in otoliths, 749
GLASS, C. W. (see VAN DUREN, L. A.), 463
GLASS, M. L. (see RANTIN, F. T.), 805
GLOVA, G. J., SAGAR, P. M. & NÄSLUND, I., Interaction for food and space between populations of *Galaxias vulgaris* Stokell and juvenile *Salmo trutta* L. in a New Zealand stream, 909
GOLDSCHMID, A. (see KOTRSCHAL, K.), 983
GONZÁLEZ DE CANALES, M. L. (see GRAU, A.), 287
GOREN, M. (see GAFNY, S.), 863
GRAHAM, M. S. & FARRELL, A. P., Environmental influences on cardiovascular variables in rainbow trout, *Oncorhynchus mykiss* (Walbaum), 851
GRANADO-LORENCIO, C. (see RODRIQUEZ-RUIZ, A.), 545
Granular cells of *Hoplias malabaricus*, histochemical evidence of heparin in, 155

Grau, A., Crespo, S., Sarasquete, M. C. & González De Canales, M. L., The digestive tract of the amberjack *Seriola dumerili*, Rossi: a light and scanning electron microscope study, 287
Greenstreet, S. P. R., Morgan, R. I. G. & Thorpe, J. E., Effect of stripping on the length, condition and gonadal state of mature male Atlantic salmon, *Salmo salar* L., parr during autumn and winter, 191
Greer, R. B. (see Hartley, S. E.), 1021
Growth of Atlantic cod (*Gadus morhua* L.) in the southern Gulf of St Lawrence is affected by size-selective mortality, 31
Growth in Atlantic salmon and Arctic charr with different trypsin-like isozyme patterns, 409
Growth bands, annual, in the otolith of tropical parrotfishes (*Scarus schlegeli*), validation of, 775
Growth estimates from otolith increment widths of juvenile chinook salmon, *Oncorhynchus tshawtscha* reared in changing environments, 825
Growth of fish, a simple regression model to assess environmental effects on, 557
Growth, winter, of juvenile plaice on the Port Erin Bay (Isle of Man) nursery ground, 209
Growth in young grass carp, *Ctenopharyngodon idella* Val., fed plant and animal diets, 231
Gui, J. F., Jia, J., Liang, S. C. & Jiang, Y. G., Meiotic chromosome behaviour in male triploid transparent coloured crucian carp, *Carassius auratus* L., 317
Guinea, J. & Fernandez, F., Morphological and biometrical study of the gill rakers in four species of mullet, 381
Günter, J. (see Lezama, E.), 373
Gyrodactylus salaris Malmberg on Atlantic salmon parr, *Salmo salar* L., in the River Batnfjordselva, Norway, seasonal variations in prevalence and in infestation intensity of, 697
Gyrodactylus salaris Malmberg, susceptibility of *Salvelinus fontinalis* to, 499

Haematopoietic organs of turbot *Schophthalmus maximus* L., cellular composition of, 709
Hamerlynck, O. (see Van Damme, P. A.), 265
Handling, effects on flounder (*Platichthys flesus* L.) and Atlantic salmon (*Salmo salar* L.), 131
Hanson, J. M. & Chouinard, G. A., Evidence that size-selective mortality affects growth of Atlantic cod (*Gadus morhua* L.) in the southern Gulf of St Lawrence, 31
Harris, P. D. (see Bakke, T. A.), 499
Hartley, S. E., McGowan, C., Greer, R. B. & Walker, A. F., The genetics of sympatric Arctic charr (*Salvelinus alpinus* (L.)) populations from Loch Rannoch, Scotland, 1021
Helle, K. B. (see Fløysand, R.), 103
Henry, C. C. (see Muoneke, M. I.), 647
Heparin in granular cells of *Hoplias malabaricus*, histochemical evidence of, 155
Higashitani, T. (see Magtoon, W.), 489
Hippoglossus hippoglossus L. (Atlantic halibut), histomorphology of the early yolk-sac larvae of, 1
Histochemical evidence of heparin in granular cells of *Hoplias malabaricus*, 155
Histological studies on the host-response to *Myxobolus artus* infection in the skeletal muscle of carp, *Cyprinus carpio* L., 363
Histomorphology of the early yolk-sac larvae of the Atlantic halibut (*Hippoglossus hippoglossus* L.) – an indication of the timing of functionality, 1
Holland, N. D. (see Stokes, M. D.), 1043
Holm, J. C. (see Nordeide, J. T.), 21
Hoplias malabaricus, histochemical evidence of heparin in granular cells of, 155
Hoplias malabaricus and *Hoplias lacerdae*, respiratory responses to hypoxia in, 805
Hormonal changes during the first four years of life in the mirror carp, *Cyprinus carpio* L., 473
Host-response to *Myxobolus artus* infection in the skeletal muscle of carp, *Cyprinus carpio* L.; histological studies, 363
Houlihan, D. F. (see McCarthy, I. D.), 257

Hughes, G. (see Nash, R. D. M.), 209
Huntingford, F. A. (see Adams, C. E.), 515
Huntingford, F. A. (see Ibrahim, A. A.), 619
Huriaux, F., Vandewalle, P. & Focant, B., Polymorphism of white muscle myosin and parvalbumins in the genus *Barbus* (Teleostei: Cyprinidae), 873
Huriaux, F. (see Vandewalle, P.), 43
Hypophthalmichthys molitrix (silver carp), suction volume and filtering efficiency of, 833
Hypoxia of the Atlantic cod, *Gadus morhua* L., lethal oxygen levels at different temperatures and the preferred temperature during, 927
Hypoxia, respiratory responses to, in *Hoplias malabaricus* and *Hoplias lacerdae*, 805

Ibrahim, A. A. & Huntingford, F. A., Experience of natural prey and feeding efficiency in three-spined sticklebacks (*Gasterosteus aculeatus* L.), 619
Ichthyoplankton of a seasonally closed estuary in temperate Australia; does an extended period of opening influence species composition?, 935
Infection dynamics and dispersion pattern of *Lernaeocera branchialis* L. on 0+ whiting (*Merlangius merlangus* L.) in the Oosterschelde, 265
Inheritance of trunk coloration in the three-spot gourami, *Trichogaster trichopterus*, 663
Ishida, Y. & Kobayashi, H., Stimulatory effectiveness of amino acids on the olfactory response in an algivorous marine teleost, the rabbitfish *Siganus fuscescens* Houttuyn, 737

Jansen, P. A. (see Bakke, T. A.), 499
Jia, J. (see Gui, J. F.), 317
Jiang, Y. G. (see Gui, J. F.), 317
Jordan, W. C. & Youngson, A. F., The use of genetic marking to assess the reproductive success of mature male Atlantic salmon parr (*Salmo salar*, L.) under natural spawning conditions, 613
Joy, K. P. (see Kirubagaran, R.), 305
Juvonen, S.-K. (see Ranta, E.), 627

Kalinin, A. L. (see Rantin, F. T.), 805
Karås, P. & Thoresson, G., An application of a bioenergetics model to Eurasian perch (*Perca fluviatilis* L.), 217
Karyotype evolution and geographical distribution of the Thai-medaka, *Oryzias minutillus*, in Thailand, 489
Kaspers, J. (see Kennedy, C. R.), 567
Katano, O., Cannibalism on eggs by dark chub, *Zacco temmincki* (Temminck & Schlegel) (Cyprinidae), 655
Kendall, C., Valentino, S., Bodine, A. B. & Luer, C. A., Flow cytometric DNA analysis of nurse shark, *Ginglymostoma cirratum* (Bonaterre) and clearnose skate, *Raja eglanteria* (Bosc) peripheral red blood cells, 123
Kennedy, C. R., Nie, P., Kaspers, J. & Paulisse, J., Are eels (*Anguilla anguilla* L.) planktonic feeders? Evidence from parasite communities, 567
Kennedy, C. R. (see Nie, P.), 521
Kingsford, M. J. (see Gallahar, N. K.), 749
Kirubagaran, R. & Joy, K. P., Toxic effects of mercury on testicular activity in the freshwater teleost, *Clarias batrachus* (L.), 305
Kjesbu, O. S., Kryvi, H., Sundby, S. & Solemdal, P., Buoyancy variations in eggs of Atlantic cod (*Gadus morhua* L.) in relation to chorion thickness and egg size: theory and observations, 581
Kjørsvik, E. & Reiersen, A. L., Histomorphology of the early yolk-sac larvae of the Atlantic halibut (*Hippoglossus hippoglossus* L.) – an indication of the timing of functionality, 1
Knox, D. (see Furones, M. D.), 1037
Kobayashi, H. (see Ishida, Y.), 737
Kotrschal, K. & Goldschmid, A., Morphological evidence for the biological role of caniniform teeth in combtooth blennies (Blenniidae, Teleostei), 983

KRUMSCHNABEL, G. & LACKNER, R., Metabolic responses of fish larvae (*Rutilus rutilus* L.) to forced activity (Cyprinidae, Teleostei), 717
KRYVI, H. (see KJESBU, O. S.), 581

L'ABÉE-LUND, J. H., LANGELAND, A. & SÆGROV, H., Piscivory by brown trout *Salmo trutta* L. and Arctic charr *Salvelinus alpinus* (L.) in Norwegian lakes, 91
LACKNER, R. (see KRUMSCHNABEL, G.), 717
Lagodon rhomboides L. (pinfish) from the Gulf of Mexico, annual cycle of blood chemistry parameters in, 999
LANGELAND, A. (see L'ABÉE-LUND, J. H.), 91
Larvae, *Clupea harengus* L., starving; behavioural differences correlate with body levels of essential fatty acids, 509
Larvae, early yolk-sac, of the Atlantic halibut *Hippoglossus hippoglossus* L., histomorphology of, 1
Larvae of *Fundulus heteroclitus* L., influence of egg size on embryos and, 883
Larvae, *Rutilus rutilus* L., metabolic responses to forced activity, 717
Larvae of whitefish, *Coregonus lavaretus* (L.), radioactive strontium marking; dispersal of larvae from river to sea, 417
Larval white seabass, *Atractoscion nobilis*, effects of experience on feeding success by, 765
LEHTONEN, H., NYBERG, K., VUORINEN, P. J. & LESKELÄ, A., Radioactive stronium (^{85}Ssr) in marking whitefish (*Coregonus lavaretus* (L.)) larvae and the dispersal of larvae from river to sea, 417
Length of mature male Atlantic salmon, *Salmo salar* L., parr during autumn and winter, effect of stripping on, 191
Lernaeocera branchialis L. on 0+ whiting (*Merlangius merlangus* L.), infection dynamics and dispersion pattern of, 265
LESKELÄ, A. (see LEHTONEN, H.), 417
Leucocyte enzyme cytochemistry of the Indian eel, *Anguilla bicolor bicolor* McClelland, 151
LEWIS, JR., E. J. (see PEREIRA, J. J.), 327
LEZAMA, E. & GÜNTHER, J., The routine metabolism of the guapote, *Cichlasoma managuense* (Gunther 1869), related to body weight and temperature, 373
LHRHa, pattern of sea bass oocyte development after ovarian stimulation by, 965
LI, D. (see DONG, S.), 833
LIANG, S. C. (see GUI, J. F.), 317
Light distribution, daily, influence on reproduction in the barbel, *Barbus barbus* L., 993
LIPPITSCH, E., Squamation and scale character stability in cichlids, examined in *Sarotheroden galilaeus* (Linnaeus, 1758) (Perciformes, Cichlidae), 355
LIU, X. (see CUI, Y.), 231
LOU, D. C., Validation of annual growth bands in the otolith of tropical parrotfishes (*Scarus schlegeli* Bleeker), 775
LUCAS, M. C. & PRIEDE, I. G., Utilization of metabolic scope in relation to feeding and activity by individual and grouped zebrafish, *Brachydanio rerio* (Hamilton-Buchanan), 175
LUER, C. A. (see KENDALL, C.), 123

MCCARTHY, I. D., CARTER, C. G. & HOULIHAN, D. F., The effect of feeding hierarchy on individual variability in daily feeding of rainbow trout, *Oncorhynchus mykiss* (Walbaum), 257
MCGOWAN, C. (see HARTLEY, S. E.), 1021
MCINTOSH, A. R., TOWNSEND, C. R. & CROWL, T. A., Competition for space between introduced brown trout (*Salmo trutta* L.) and a native galaxiid (*Galaxias vulgaris* Stockell) in a New Zealand stream, 63
MACEINA, M. J., A simple regression model to assess environmental effects on fish growth, 557
MAGTOON, W., NADEE, N., HIGASHITANI, T., TAKATA, K. & UWA, H., Karyotype evolution and geographical distribution of the Thai-medaka, *Oryzias minutillus*, in Thailand, 489
MAÑANOS, E. (see ALVARIÑO, J. M. R.), 965

MARCOGLIESE, D. J., Metazoan parasites of sticklebacks on Sable Island, Northwest Atlantic Ocean: biogeographic considerations, 399
Marker for juvenile cod, *Gadus morhua* L., the use of oxytetracycline as, 21
MARTEINSDOTTIR, G. & ABLE, K. W., Influence of egg size on embryos and larvae of *Fundulus heteroclitus* L., 883
MATTSON, N. S. & MUTALE, J. C., Multi-mesh gillnets to estimate species composition and catch per unit effort of fish in a small water body in Zambia, 897
Maturation, sexual, of Atlantic salmon (*Salmo salar*) juveniles in Little Codroy River, Newfoundland, influence of size, winter duration and density on, 1013
MAUGHAN, O. E. (see MUONEKE, M. I.), 647
Meiotic chromosome behaviour in male triploid transparent coloured crucian carp, *Carassius auratus* L., 317
Mercury, toxic effects on testicular activity in the freshwater teleost, *Clarias batrachus* L., 305
Merlangius merlangus L. (0+ whiting), the infection dynamics and dispersion pattern of *Lernaeocera branchialis* L. on, 265
Metabolic responses of fish larvae (*Rutilus rutilus* L.) to forced activity, 717
Metabolic scope utilization in relation to feeding and activity by individual and grouped zebrafish, *Brachydanio rerio*, 175
Metabolism of the guapote, *Cichlasoma managuense*, related to body weight and temperature, 373
Metamorphosis in cod, *Gadus morhua* L., morphological changes during, with particular reference to the development of the stomach and pyloric caeca, 449
Metazoan parasites of sticklebacks on Sable Island, 399
Microscopy, fixation of mucus on rainbow trout gills for, 813
Microspectrophotometry in measurement of changes in rod visual pigment in the elver of the eel, *Anguilla anguilla* L., 601
Migration of three species of cyprinids in a stream with Mediterranean regimen, 545
Migratory brown trout, *Salmo trutta* L., in a small, unstable stream, fluctuating recruitment and variable life history, 239
MIKOLAJCZYK, T. (see BILLARD, R.), 473
Mirogrex terraesanctae, effect of water level fluctuation on shore spawning of, in Lake Kinneret, Israel, 863
MO, T. A., Seasonal variations in the prevalence and infestation intensity of *Gyrodactylus salaris* Malmberg, 1957 (Monogenea: Gyrodactylidae) on Atlantic salmon parr, *Salmo salar* L., in the River Batnfjordselva, Norway, 697
MOODY, T. (see FOLMAR, L. C.), 999
MOREIRA, F. (see ASSIS, C. A.), 1049
MOREIRA, F. M. (see COSTA, J. L.), 841
MORGAN, R. I. G. (see GREENSTREET, S. P. R.), 191
Morphological changes during metamorphosis in cod (*Gadus morhua* L.), with particular reference to the development of the stomach and pyloric caeca, 449
Morphological changes in senescing adult male sockeye salmon (*Oncorhynchus nerka* Walbaum), 1045
Morphological evidence for the biological role of caniniform teeth in combtooth blennies, 983
Morphological study of the gill rakers in four species of mullet, 381
Morphology, functional, of the anchorage system and food scrapers of a hillstream fish, *Garra lamta*, 159
Morphometric investigation of *Atherina boyeri* Risso, 1810 and *A. presbyter* Cuvier, 1829, 341
Mortality, mass, of *Sardinella aurita* Val. in Thessaloniki Bay, (Macedonia, Greece), 147
Mortality, size-selective, affects growth of Atlantic cod (*Gadus morhua* L.) in the southern Gulf of St Lawrence, 31
MOSEGAARD, H. (see TITUS, R. G.), 239
Mucus on rainbow trout (*Oncorhynchus mykiss*) gills, fixation of, for light and electron microscopy, 813
Mugil cephalus L. (striped mullet), annual cycle of blood chemistry parameters in, 999

Mullet, morphological and biometrical study of the gill rakers in four species of, 381
Munshi, J. S. D. & Singh, A., Scanning electron microscopic evaluation of effects of low pH on gills of *Channa punctata* (Bloch), 83
Muoneke, M. I., Henry, C. C. & Maughan, O. E., Population structure and food habits of white crappie, *Pomoxis annularis* Rafinesque, in a turbid Oklahoma reservoir, 647
Murray, K. R. (see Adams, C. E.), 515
Mutale, J. C. (see Mattson, N. S.), 897
Myosin and parvalbumins, white muscle, in the genus *Barbus*, polymorphism of, 873
Myxobolus artus infection in the skeletal muscle of carp, *Cyprinus carpio* L., histological studies on the host-response to, 363

Nadee, N. (see Magtoon, W.), 489
Nash, R. D. M., Geffen, A. J. & Hughes, G., Winter growth of juvenile plaice on the Port Erin Bay (Isle of Man) nursery ground, 209
Näslund, I. (see Glova, G. J.), 909
Navarro, J. C. & Sargent, J. R., Behavioural differences in starving herring, *Clupea harengus* L., larvae correlate with body levels of essential fatty acids, 509
Neira, F. J. & Potter, I. C., The ichthyoplankton of a seasonally closed estuary in temperate Australia. Does an extended period of opening influence species composition? 935
Nicotra, A. & Senatori, O., β-Adrenergic antagonists and carp (*Cyprinus carpio* L.) sperm motility, 667
Nie, P. & Kennedy, C. R., Populations of *Bothriocephalus claviceps* (Goeze) (Cestoda) in the European eel, *Anguilla anguilla* (L.), in three localities in southwest England, 521
Nie, P. (see Kennedy, C. R.), 567
Nordeide, J. T., Holm, J. C., Otterå, H., Blom, G. & Borge, A., The use of oxytetracycline as a marker for juvenile cod (*Gadus morhua* L.), 21
Nyberg, K. (see Lehtonen, H.), 417

Obach, A. (see Quentel, C.), 709
Ogawa, K., Delgahapitiya, K. P., Furata, T. & Wakabayashi, H., Histological studies on the host-response to *Myxobolus artus* Akhmerov, 1960 (Myxozoa: Myxobolidae) infection in the skeletal muscle of carp, *Cyprinus carpio* L., 363
Ojha, J. & Singh, S. K., Functional morphology of the anchorage system and food scrapers of a hillstream fish, *Garra lamta* (Ham.) (Cyprinidae, Cypriniformes), 159
Olfactory response, stimulatory effectiveness of amino acids on, in the rabbitfish *Siganus fuscescens* Houttuyn, 737
Oncorhynchus mykiss (Walbaum) (rainbow trout), dietary vitamin E and response to infection with *Yersinia ruckeri*, 1037
Oncorhynchus mykiss (Walbaum) (rainbow trout), effect of feeding hierarchy on individual variability in daily feeding of, 257
Oncorhynchus mykiss (Walbaum) (rainbow trout), environmental influences on cardiovascular variables in, 851
Oncorhynchus mykiss (Walbaum) (rainbow trout) fixation of mucus on gills for light and electron microscopy, 813
Oncorhynchus mykiss infection with *Apatemon gracilis*, cardiac pathology associated with, 163
Oncorhynchus mykiss (Walbaum) (rainbow trout), influence of social interaction on the acclimation to chronic stress, 435
Oncorhynchus nerka (Walbaum) (senescing adult male sockeye salmon), morphological changes in, 1045
Oncorhynchus tshawytscha (chinook salmon), growth estimates from otolith increment widths of juveniles, 825
Oocyte development, sea bass, after ovarian stimulation by LHRHa, 965
Oral-brooding, biparental, residual, in the blackchin fish, *Sarotherodon melanotheron*, 145
Oryzias minutillus (Thai-medaka), karyotype evolution and geographical distribution in Thailand, 489
Osmoregulatory changes in sockeye salmon transferred to sea water, 113

Osmotic adaptation in brook charr, *Salvelinus fontinalis*, 791
Otoliths of Arctic charr, *Salvelinus alpinus* L., the periodicity of primary increment formation in, 515
Otoliths, ground or sectioned, measurements on; possibilities of bias, 201
Otoliths of juvenile rock blackfish, *Girella elevata*, patterns of increment width and strontium/calcium ratios in, 749
Otolith increment widths, growth estimates from, in juvenile chinook salmon, *Oncorhynchus tshawytscha*, 825
Otolith of tropical parrotfishes *Scarus schlegeli*, validation of annual growth bands in, 775
Otterå, H. (see Nordeide, J. T.), 21
Ovarian stimulation by LHRHa, pattern of sea bass oocyte development after, 965
Oxytetracycline as a marker for juvenile cod (*Gadus morhua* L.), 21

Pagrus auratus (New Zealand snapper), interannual variation in the reproductive cycle, 685
Panfili, J. & Ximenes, M.-C., Measurements on ground or sectioned otoliths: possibilities of bias, 201
Pankhurst, N. W. (see Scott, S. G.), 685
Parasites, metazoan, of sticklebacks on Sable Island, 399
Partridge, J. C. (see Wood, P.), 601
Parvalbumins, white muscle, in the genus *Barbus*, polymorphism of, 873
Paulisse, J. (see Kennedy, C. R.), 567
Pedersen, T. & Falk-Petersen, I. B., Morphological changes during metamorphosis in cod (*Gadus morhua* L.), with particular reference to the development of the stomach and pyloric caeca, 449
Pelletier, D. & Besner, M., The effect of salty diets and gradual transfer to sea water on osmotic adaptation, gill Na^+, K^+-ATPase activation, and survival of brook charr, *Salvelinus fontinalis*, 791
Perca fluviatilis L. (Eurasian perch), an application of a bioenergetics model to, 217
Perca fluviatilis L. (0+ perch), length and weight changes following fixation in formalin, 1033
Pereira, J. J., Lewis, Jr., E. J., Spallone, R. L. & Sword, C., Bifurcation of gill filaments in winter flounder (*Pleuronectes americanus* Walbaum) from Long Island Sound, 327
Peripheral red blood cells, flow cytometric DNA analysis of nurse shark (*Ginglymostoma cirratum*) and clearnose skate (*Raja eglanteria*), 123
Peuhkuri, N. (see Ranta, E.), 627
pH, low, effects on gills of *Channa punctata*; scanning electron microscopic evaluation, 83
Pickering, A. D. (see Pottinger, T. G.), 435
Pike, A. W. (see Watson, J. J.), 163
Piscivory by brown trout *Salmo trutta* L. and Arctic charr *Salvelinus alpinus* L. in Norwegian lakes, 91
Plaice, juvenile, winter growth of, on the Port Erin Bay (Isle of Man) nursery ground, 209
Planktonic feeders, eels?; evidence from parasite communities, 567
Platichthys flesus L. (flounder), effects of handling on, 131
Pleuronectes americanus Walbaum (winter flounder), bifurcation of gill filaments in, 327
Pomoxis annularis Rafinesque (white crappie) population structure and food habits, in a turbid Oklahoma reservoir, 647
Poncin, P., Influence of the daily distribution of light on reproduction in the barbel, *Barbus barbus* (L.), 993
Population biology of *Atherina boyeri* in Aberthaw Lagoon, 277
Population structure and food habits of white crappie, *Pomoxis annularis*, in a turbid Oklahoma reservoir, 647
Potter, I. C. (see Neira, F. J.), 935
Pottinger, T. G. & Pickering, A. D., The influence of social interaction on the acclimation of rainbow trout, *Oncorhynchus mykiss* (Walbaum) to chronic stress, 435
Powell, M. D., Speare, D. J. & Burka, J. F., Fixation of mucus on rainbow trout (*Oncorhynchus mykiss* Walbaum) gills for light and electron microscopy, 813
Poxton, M. G. (see Waring, C. P.), 131

Prasad, G. & Radhakrishnan, S., The leucocyte enzyme cytochemistry of the Indian eel. *Anguilla bicolor bicolor* McClelland, 151
Prat, F. (see Alvariño, J. M. R.), 965
Prévost, E., Chadwick, E. M. P. & Claytor, R. R., Influence of size, winter duration and density on sexual maturation of Atlantic salmon (*Salmo salar*) juveniles in Little Codroy River (southwest Newfoundland), 1013
Priede, I. G. (see Lucas, M. C.), 175
Priede, I. G. (see Watson, J. J.), 163
Primary increment formation in the otoliths of Arctic charr, *Salvelinus alpinus* L., the periodicity of, 515
Protein digestion, growth and food conversion in Atlantic salmon and Arctic charr with different trypsin-like isoenzyme patterns, 409
Psetta maxima (turbot), allozyme variation in, 725
Pyloric caeca, development of, in cod, *Gadus morhua* L., 449

Quentel, C. & Obach, A., The cellular composition of the blood and haematopoietic organs of turbor *Scophthalmus maximus* L., 709
Quinn, T. P. & Blair, G. R. Morphological changes in senescing adult male sockeye salmon (*Oncorhynchus nerka* Walbaum), 1045

Radhakrishnan, S. (see Prasad, G.), 151
Raja eglanteria (clearnose skate), flow cytometric DNA analysis of peripheral red blood cells, 123
Ranta, E., Juvonen, S.-K. & Peuhkuri, N., Further evidence for size assortative schooling in sticklebacks, 627
Rantin, F. T., Kalinin, A. L., Glass, M. L. & Fernandes, M. N., Respiratory responses to hypoxia in relation to mode of life of two erythrinia species (*Hoplias malabaricus* and *Hoplias lacerdae*), 805
Ration in bioenergetics of grass carp (*Ctenopharyngodon idella* Val.), 533
Regression model to assess environmental effects on fish growth, 557
Reiersen, A. L. (see Kjørsvik, E.), 1
Reproduction in the barbel, *Barbus barbus* L., influence of the daily distribution of light on, 993
Reproductive cycle of the New Zealand snapper *Pagrus auratus*, interannual variation in, 685
Reproductive success of mature male Atlantic salmon parr, *Salmo salar* L., use of genetic marking in assessment of, 613
Reservoir in Zambia, multi-mesh gillnets to estimate species composition and cpue of fish, 897
Residual biparental oral-brooding in the blackchin fish, *Sarotherodon melanotheron*, 145
Respiratory responses to hypoxia in relation to mode of life of *Hoplias malabaricus* and *Hoplias lacerdae*, 805
Rod visual pigment changes in the elver of the eel, *Anguilla anguilla* L., measured by microspectrophotometry, 601
Rodriguez-Ruiz, A. & Granado-Lorencio, C., Spawning period and migration of three species of cyprinids in a stream with Mediterranean regimen (SW Spain), 545
Rutilus rutilus L. larvae, metabolic responses to forced activity, 717

Sægrov, H. (see L'Abée-Lund, J. H.), 91
Sagar, P. M. (see Glova, G. J.), 909
Salmo salar L. (Atlantic salmon), effect of stripping on the length, condition and gonadal state of mature male parr, 191
Salmo salar L. (Atlantic salmon), effect of handling on, 131
Salmo salar (Atlantic salmon) juveniles in Little Codroy River (southwest Newfoundland), influence of size, winter duration and density on sexual maturation of, 1013
Salmo salar (aquacultured Atlantic salmon), plasma catecholamines and accumulation of adrenaline in the atrial cardiac tissue of, 103

Salmo salar L. (Atlantic salmon parr) in the River Batnfjordselva, Norway, seasonal variations in the prevalence and infestation intensity of *Gyrodactylus salaris* on, 697
Salmo salar L. (mature male Atlantic salmon parr), the use of genetic marking to assess the reproductive success of, 613
Salmo trutta L. (brown trout) and Arctic charr *Salvelinus alpinus* L. in Norwegian lakes, piscivory by, 91
Salmo trutta L. (brown trout) and *Galaxias vulgaris*, competition for space between, in a New Zealand stream, 63
Salmo trutta L., juvenile, and *Galaxias vulgaris* in a New Zealand stream, interaction for food and space between populations of, 909
Salmo trutta L. (migratory brown trout) in a small, unstable stream; fluctuating recruitment and variable life history, 239
Salmo trutta L. (brown trout), stock size estimates in brooks, 673
Salvelinus alpinus L. (Arctic charr), effect of stocking density on behaviour of, 955
Salvelinus alpinus L. (Arctic charr), genetics of sympatric populations from Loch Rannoch, Scotland, 1021
Salvelinus alpinus L. (Arctic charr), the periodicity of primary increment formation in otoliths of, 515
Salvelinus alpinus L. (Arctic charr), piscivory by brown trout, *Salmo trutta* L., and, in Norwegian lakes, 91
Salvelinus fontinalis (brook charr), effect of salty diets and gradual transfer to sea water on, 791
Salvelinus fontinalis (Mitchill) susceptibility to *Gyrodactylus salaris*, 499
Sarasquete M. C. (see Grau, A.), 287
Sardinella aurita Val., mass mortality of, in Thessaloniki Bay (Macedonia, Greece), 147
Sargent, J. R. (see Navarro, J. C.), 509
Sarotheroden galilaeus L., squamation and scale character stability in, 355
Sarotherodon melanotheron Rüppell (blackchin fish), residual biparental oral-brooding in, 145
Scale character stability in cichlids, examined in *Sarotheroden galilaeus* L., 355
Scanning electron microscope study of the digestive tract of the amberjack *Seriola dumerili*, 287
Scanning electron microscopic evaluation of effects of low pH on gills of *Channa punctata* (Bloch), 83
Scarus schlegeli Bleeker (tropical parrotfish), validation of annual growth bands in the otolith of, 775
Schooling, size assortative, in sticklebacks, further evidence for, 627
Schurmann, H. & Steffensen, J. F., Lethal oxygen levels at different temperatures and the preferred temperature during hypoxia of the Atlantic cod, *Gadus morhua* L., 927
Scophthalmus maximus L. (turbot), the cellular composition of the blood and haematopoietic organs of, 709
Scophthalmus rhombus (brill), allozyme variation in, 725
Scott, S. G. & Pankhurst, N. W., Interannual variation in the reproductive cycle of the New Zealand snapper *Pagrus auratus* (Bloch & Schneider) (Sparidae), 685
Seasonal variations in the prevalence and infestation intensity of *Gyrodactylus salaris* on Atlantic salmon parr, *Salmo salar* L., in the River Batnfjordselva, Norway, 697
Sea water, gradual transfer to, effect on brook charr, *Salvelinus fontinalis*, 791
Sea water, plasma cortisol and osmoregulatory changes in sockeye salmon transferred to, 113
Senatori, O. (see Nicotra, A.), 667
Senescing adult male sockeye salmon (*Onchorhynchus nerka* Walbaum), morphological changes in, 1045
Serck-Hanssen, G. (see Fløysand, R.), 103
Seriola dumerili Risso (amberjack), digestive tract of; light and scanning electron microscope study, 287
Shearer, K. D. (see Torrissen, K. R.), 409
Shi, Q. (see Dong, S.), 833

Siganus fuscescens Houttuyn (rabbitfish), stimulatory effectiveness of amino acids on the olfactory response in, 737
SINGH, A. (see MUNSHI, J. S. D.), 83
SINGH, S. K. (see OJHA, J.), 159
Size assortative schooling in sticklebacks, further evidence for, 627
Size, influence on sexual maturation of Atlantic salmon (*Salmo salar*), juveniles in Little Codroy River, Newfoundland, 1013
Size-selective mortality affects growth of Atlantic cod (*Gadus morhua* L.) in the southern Gulf of St Lawrence, 31
SKAALA, Ø., Genetic population structure of Norwegian brown trout, 631
Skeletal muscle of carp, *Cyprinus carpio* L., histological studies on the host-response to *Myxobolus artus* infection in, 363
Social interaction, influence on the acclimation of rainbow trout, *Oncorhynchus mykiss* Walbaum, to chronic stress, 435
Sockeye salmon transferred to sea water, plasma cortisol and osmoregulatory changes in, 113
SOLEMDAL, P. (see KJESBU, O. S.), 581
SPALLONE, R. L. (see PEREIRA, J. J.), 327
Spawning of *Basilichthys microlepidotus* (Jenyns), 971
Spawning period and migration of three species of cyprinids in a stream with Mediterranean regimen, 545
Spawning, shore, of *Mirogrex terraesanctae* in Lake Kinneret, Israel, effect of water level fluctuation on, 863
SPEARE, D. J. (see POWELL, M. D.), 813
Species composition and cpue in a small water body in Zambia, multi-mesh gillnets in estimation, 897
Species composition and the influence of an extended period of opening; the ichthyoplankton of a seasonally closed estuary in temperate Australia, 935
Sperm motility, carp (*Cyprinus carpio* L.), and β-adrenergic antagonists, 667
Squamation and scale character stability in cichlids, examined in *Sarotheroden galilaeus* L., 355
SRIVASTAVA, R. K. (see BROWN, G. E.), 955
STAGG, R. M. (see WARING, C. P.), 131
Starving herring, *Clupea harengus* L., larvae; behavioural differences correlate with body levels of essential fatty acids, 509
STEFFENSEN, J. F. (see SCHURMANN, H.), 927
Sticklebacks, further evidence for size assortative schooling in, 627
Sticklebacks, metazoan parasites of, on Sable Island, 399
Stock size estimation of brown trout (*Salmo trutta* L.) in brooks; electrofishing results corrected by selectivity functions, 673
Stocking density, effect on the behaviour of Arctic charr *Salvelinus alpinus* L., 955
STOKES, M. D. & HOLLAND, N. D., Southern stingrays (*Dasyatis americana*) feeding on lancelets (*Branchiostoma floridae*), 1043
Stomach, development of, in cod (*Gadus morhua* L.), 449
Stress, chronic, influence of social interaction on acclimation of rainbow trout, *Oncorhynchus mykiss* Walbaum, to, 435
Stress, plasma catecholamines and accumulation of adrenaline in the atrial cardiac tissue of aquacultured Atlantic salmon (*Salmo salar*) during, 103
Stripping, effect on the length, condition and gonadal state of mature male Atlantic salmon, *Salmo salar* L., parr during autumn and winter, 191
Strontium/calcium ratios in otoliths of juvenile rock blackfish, *Girella elevata*, 749
Strontium, radioactive, in marking whitefish (*Coregonus lavaretus* L.) larvae and the dispersal of larvae from river to sea, 417
Sturgeon fingerlings (Acipenseridae): feeding dynamics depending on food concentration and stocking density, 425
Suction volume and filtering efficiency of silver carp (*Hypophthalmichthys molitrix*) and bighead carp (*Aristchthys nobilis*), 833
SUNDBY, S. (see KJESBU, O. S.), 581
SWORD, C. (see PEREIRA, J. J.), 327

Takata, K. (see Magtoon, W.), 489
Taufik, L. R. (see Gershanovich, A. D.), 425
Teeth, caniniform, in combtooth blennies, morphological evidence for the biological role of, 983
Temperature and metabolism of the guapote, *Cichlasoma manauense*, 373
Temperature, preferred, during hypoxia of the Atlantic cod *Gadus morhua* L.; lethal oxygen levels at different temperatures, 927
Testicular activity in the freshwater teleost, *Clarias batrachus* L., 305
Testicular changes during the first four years of life in the mirror carp, *Cyprinus carpio* L., 473
Thoresson, G. (see Karås, P.), 217
Thorpe, J. E. (see Greenstreet, S. P. R.), 191
Titus, R. G. & Mosegaard, H., Fluctuating recruitment and variable life history of migratory brown trout, *Salmo trutta* L., in a small, unstable stream, 239
Torrissen, K. R. & Shearer, K. D., Protein digestion, growth and food conversion in Atlantic salmon and Arctic charr with different trypsin-like isozyme patterns, 409
Townsend, C. R. (see McIntosh, A. R.), 63
Treasurer, J. W., Length and weight changes in 0+ perch, *Perca fluviatilis* L., following fixation in formalin, 1033
Trichogaster trichopterus (three-spot gourami), inheritance of trunk coloration, 663
Trunk coloration inheritance in the three-spot gourami, *Trichogaster trichopterus*, 663
Trypsin-like isozyme patterns; protein digestion, growth and food conversion in Atlantic salmon and Arctic charr, 409

Uwa, H. (see Magtoon, W.), 489

Valentino, S. (see Kendall, C.), 123
Van Damme, P. A. & Hamerlynck, O., The infection dynamics and dispersion pattern of *Lernaeocera branchialis* L. on 0+ whiting (*Merlangius merlangus* L.) in the Oosterschelde (SW Netherlands), 265
Vandewalle, P., Focant, B., Huriaux, F. & Chardon, M., Early development of the cephalic skeleton of *Barbus barbus* (Teleostei, Cyprinidae), 43
Vandewalle, P. (see Huriaux, F.), 873
Van Duren, L. A. & Glass, C. W., Choosing where to feed: the influence of competition on feeding behaviour of cod, *Gadus morhua* L., 463
Vila, I. (see Comte, S.), 971
Vitamin E, dietary, and the response of rainbow trout, *Oncorhynchus mykiss* (Walbaum), to infection with *Yersinia ruckeri*, 1037
Vuorinen, P. J. (see Lehtonen, H.), 417
Vogiatzis, V. P. (see Economidis, P. S.), 147

Wakabayashi, H. (see Ogawa, K.), 363
Walker, A. F. (see Hartley, S. E.), 1021
Wang, F. (see Dong, S.), 833
Wang, S. (see Cui, Y.), 231
Waring, C. P., Stagg, R. M. & Poxton, M. G., The effects of handling on flounder (*Platichthys flesus* L.) and Atlantic salmon (*Salmo salar* L.), 131
Water level fluctuation, effect on shore spawning of *Mirogrex terraesanctae* in Lake Kinneret, Israel, 863
Watson, J. J., Pike, A. W. & Priede, I. G., Cardiac pathology associated with the infection of *Oncorhynchus mykiss* Walbaum with *Apatemon gracilis* Rud. 1819, 163
Weight in bioenergetics of grass carp *Ctenopharyngodon idella* Val., 533
Weight and metabolism of the guapote, *Cichlasoma managuense*, 373
Weil, C. (see Billard, R.), 473
White, A. (see Furones, M. D.), 1037
White muscle myosin and parvalbumins in the genus *Barbus*, polymorphism of, 873
Winter duration, influence on sexual maturation of Atlantic salmon (*Salmo salar*) juveniles in Little Codroy River, Newfoundland, 1013

Winter growth of juvenile plaice on the Port Erin Bay (Isle of Man) nursery ground, 209
WOOD, P., PARTRIDGE, J. C. & DE GRIP, W. J., Rod visual pigment changes in the elver of the eel, *Anguilla anguilla* L., measured by microspectrophotometry, 601

XIMENES, M.-C. (see PANFILI, J.), 201

Yersinia ruckeri, dietary vitamin E and the response of rainbow trout, *Oncorhynchus mykiss* (Walbaum) to infection with, 1037
YOUNGSON, A. F. (see JORDAN, W. C.), 613

Zacco temmincki (dark chub), cannibalism on eggs by, 655
ZANUY, S. (see ALVARIÑO, J. M. R.), 965

Printed in Great Britain by Henry Ling Ltd., at the Dorset Press, Dorchester, Dorset